

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1273	(PCI SAME PCMCIA) same (interface protocol function) same bus	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 09:17
L2	12966	(710/1,8,11,15,16,22-28,52,62,65,100,105,300,301,305,306,310,313,315-317).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/04/06 09:17
L3	155	L1 AND L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 09:18
L4	1024	(710/62).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 09:18
L5	376	L4 AND ((multiple two multiplex many numerous) NEAR10 (bus interface))	USPAT	OR	OFF	2006/04/06 09:18
L6	376	L5 AND L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 09:18
L7	493	(multiple two) SAME (interface bus standard) SAME (pin plug connect\$3) SAME (select conform) SAME (communicate)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OFF	2006/04/06 09:19
L8	21	L7 AND L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 09:20
L10	624	(PCI with PCMCIA) with (interface protocol function) with bus	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 09:20
L11	67	L10 AND L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/06 09:20
S2	24	(multiple two) NEAR20 (interface bus standard) NEAR20 (pin plug connect\$3) NEAR20 (select conform) NEAR20 (communicate)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OFF	2005/08/23 11:10
S4	2	(multiple two) WITH (interface bus standard) WITH (pin plug connect\$3) WITH (select conform) WITH (communicate) NOT S2	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OFF	2005/08/23 11:11
S6	888	(710/62).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/23 11:14
S8	727	S6 AND @ay<="2003"	USPAT	OR	OFF	2005/08/23 11:15
S9	349	S6 AND ((multiple two multiplex many numerous) NEAR10 (bus interface))	USPAT	OR	OFF	2005/08/23 11:22
S12	31	S6 AND ((multiple two multiplex many numerous) NEAR20 (bus interface standard) NEAR20 (pin plug connector)) NOT S11	USPAT	OR	OFF	2005/08/25 08:54

EAST Search History

S14	95321	(multiple two) AND (interface bus standard) AND (pin plug connect\$3) AND (select conform) AND (communicate)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OFF	2005/08/25 08:51
S15	441	(multiple two) SAME (interface bus standard) SAME (pin plug connect\$3) SAME (select conform) SAME (communicate)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OFF	2005/08/24 08:42
S16	441	(multiple two) SAME (interface bus standard) SAME (pin plug connect\$3) SAME (select conform) SAME (communicate)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OFF	2005/08/25 09:27
S17	6	S16 and (PCI and PCMCIA)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OFF	2005/08/25 09:25
S18	29	S16 and (PCI OR PCMCIA)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OFF	2005/08/25 09:26
S19	10	("5894478" "5935224" "6009486" "6086430" "6128673" "6334160" "6334793" "6425037" "6535522" "6628441").PN. OR ("6871244").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/30 16:44
S20	891	(710/62).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/25 08:54
S21	46	S20 AND ((multiple two multiplex many numerous) NEAR20 (bus interface standard) NEAR20 (pin plug connector))	USPAT	OR	OFF	2005/08/25 08:54
S22	15	(multiple two) SAME (interface bus standard) SAME (pin plug connect\$3) SAME (select conform) SAME (communicate) SAME (PCI PCMCIA)	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OFF	2005/08/25 08:54
S23	2	"6149319".pn.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OFF	2005/08/25 11:55
S26	1628	(710/52).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/25 14:38
S27	1280	(710/100).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/25 14:39
S28	1581	(703/23-28).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/25 14:42
S29	347	(710/313).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/25 14:50
S31	585	(710/316).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/25 14:43
S32	243	(710/317).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/25 14:44

EAST Search History

S33	303	(710/11).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/26 10:49
S34	345	(710/315).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/26 10:50
S35	11	("5025412" "5367646" "5420412" "5440755" "5553249" "5606672" "5630094" "5793996").PN. OR ("5931933"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/30 16:38
S36	339	(710/16).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/31 11:34
S37	7	("5596562" "5671355" "5832244" "5991841" "6131127" "6170027" "6286097").PN. OR ("6925510").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/30 16:38
S38	12	(multi adj voltag\$3) near5 buffer	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/29 15:48
S39	7	((multi adj voltag\$3) near5 buffer) AND pin	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/29 10:59
S40	11	("5025412" "5367646" "5420412" "5440755" "5553249" "5606672" "5630094" "5793996").PN. OR ("5931933"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/30 16:39
S41	19	("4455620" "4456965" "4641261" "5084814" "5101498" "5140679" "5343319").PN. OR ("5793989").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/30 16:39
S42	1053	(PCI SAME PCMCIA) same (interface protocol function) same bus	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/06 09:17
S43	455	(PCI with PCMCIA) with (interface protocol function) with bus	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/29 15:43
S44	13	((multi adj voltag\$3) OR multivoltag\$3) near5 buffer	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/29 15:57
S45	17	((multi adj voltag\$3) OR multivoltag\$3) near5 buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/29 15:57
S46	7	((first PCI primary) near2 bus) with standard) SAME (((second alternate PCMCIA) near2 bus) with standard) SAME ((power volt\$3) near5 (supply source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:47
S47	459	((first PCI primary)) near5 standard) SAME (((second alternate PCMCIA)) near5 standard) SAME ((power volt\$3) near5 (supply source))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 11:47
S48	1095	((first PCI primary)) near2 standard) OR (((second alternate PCMCIA))) near2 standard) SAME ((power volt\$3) near5 (supply source))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 11:51

EAST Search History

S49	150	((first PCI primary)) near2 standard) SAME (((second alternate PCMCIA)) near2 standard) SAME ((power volt\$3) near5 (supply source))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 11:55
S50	30	((first PCI primary)) near2 standard) SAME (((second alternate PCMCIA)) near2 standard) SAME ((power volt\$3) near5 (supply source)) SAME (different separate)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 11:53
S51	2	((first PCI primary main) near2 bus) near10 (standard interface protocol)) SAME (((second\$3 alternate PCMCIA other subsequent) near2 bus) near10 standard) SAME ((power volt\$3) near7 (supply source))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 12:03
S52	353	((first PCI primary main) near2 bus) near10 (standard interface protocol)) OR (((second\$3 alternate PCMCIA other subsequent) near2 bus) near10 standard)) SAME ((power volt\$3) near7 (supply source))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 12:04
S53	1275	((first PCI primary main) near10 (standard interface protocol)) AND ((second\$3 alternate PCMCIA other subsequent) near10 standard)) SAME ((power volt\$3) near7 (supply source))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 12:09
S54	217	((first PCI primary main) near2 (standard interface protocol)) AND ((second\$3 alternate PCMCIA other subsequent) near2 standard)) SAME ((power volt\$3) near7 (supply source))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 12:10
S55	43	((first PCI primary main) near2 (standard interface protocol)) AND ((second\$3 alternate PCMCIA other subsequent) near2 standard)) SAME ((power volt\$3) near7 (supply source)) SAME (different separate)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 12:14
S56	308	((first PCI primary main) near2 (standard interface protocol bus)) AND ((second\$3 alternate PCMCIA other subsequent) near2 (standard interface protocol bus))) SAME ((power volt\$3) near7 (supply source)) SAME (different separate)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 12:16
S57	293	((first PCI primary main) near2 (standard interface protocol bus)) SAME ((second\$3 alternate PCMCIA other subsequent) near2 (standard interface protocol bus))) SAME ((power volt\$3) near7 (supply source)) SAME (different separate)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 12:16
S58	109	((first PCI primary main) near2 (standard interface protocol bus)) SAME ((second\$3 alternate PCMCIA other subsequent) near2 (standard interface protocol bus))) SAME (((power volt\$3) near7 (supply source)) NEAR20 (different separate another))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 12:17
S61	80	("4603320" "4864291" "4972470" "5031115" "5099137" "5101481" "5119498" "5150465" "5165022" "5245703" "5287460" "5289580" "5321819" "5457784" "5457785" "5528765" "5544326" "5548782" "5550990" "5555374" "5577213" "5615344" "5619722" "5621899" "5628027" "5640541" "5666557" "5703347").PN. OR ("5832244").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/31 10:15
S62	8	((multi\$3 near volt\$3) near buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:45

EAST Search History

S63	19	((multi\$3 near volt\$3) near2 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:45
S65	12929	(710/1,8,11,15,16,22-28,52,62,65,100,105,300,301,305,306,310,313,315-317).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/04/03 11:02
S66	2	"4972470".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/05 14:53